

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	ad\$hoc same regist\$3 same sip same wan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 15:48
L2	103	ad\$hoc and regist\$5 and sip and wan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 15:49
L3	43	2 and (@riad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 15:50
L8	3	(US-20030195010-\$ or US-20060276139-\$ or US-20020058504-\$).did.	US-PGPUB	ADJ	ON	2008/07/03 16:37
L9	2	8 and proxy	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 16:38
S2	2	"20050201357".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 11:28
S3	18	("2002012670" "20010005675" "20010034767" "20020138622" "20030058874" "20030112793" "6618757" "6636491").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 10:33
S4	0	"200507201104".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 08:03
S5	0	wo adj "03/088625" adj "a1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 10:50

S6	1633	jackson adj walker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 10:51
S7	226	(jackson adj walker) with (richardson near2 tx)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 10:52
S8	1	(jackson adj walker) with (richardson near2 tx) and (October near3 "2003")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 10:53
S9	2	"20040024879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:12
S10	1	("2004/0024879").URPN.	USPAT	OR	ON	2007/02/19 11:04
S13	2476	370/338.ccls. and (@rlad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 18:01
S14	1040	455/435.1.ccls. and (@rlad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 11:20
S15	3342	709/227.ccls. and (@rlad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 11:20
S16	15027	sip or "session initiation protocol"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 11:22
S17	3094	(sip or "session initiation protocol") and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 11:22
S18	38	S14 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 11:22

S19	7	(US-20040024879-\$ or US-20040219905-\$ or US-20040121765-\$ or US-20030134638-\$ or US-20020037723-\$).did. or (US-7177642-\$ or US-7110763-\$).did.	US-PGPUB; USPAT	OR	ON	2007/02/19 15:00
S20	2	S19 and trigger\$3	US-PGPUB; USPAT	OR	ON	2007/02/19 15:01
S21	239	node and proxy and (sip or "session initiation protocol") and (trigger\$3 same response)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 16:42
S22	171	node and proxy and (sip or "session initiation protocol") and (trigger\$3 same response) and identif\$4 and register\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 17:05
S23	11	S13 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 17:06
S24	98	node and proxy and (sip or "session initiation protocol") and (trigger\$3 with response) and identif\$4 and register\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 17:06
S25	8	S13 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/19 17:06
S26	9	(US-20040024879-\$ or US-20040219905-\$ or US-20040121765-\$ or US-20030134638-\$ or US-20020037723-\$ or US-20040156346-\$ or US-20020131395-\$).did. or (US-7177642-\$ or US-7110763-\$).did.	US-PGPUB; USPAT	OR	ON	2007/02/20 16:23
S27	4	S26 and trigger	US-PGPUB; USPAT	OR	ON	2007/02/20 16:23
S28	4	S26 and trigger\$3	US-PGPUB; USPAT	OR	ON	2007/02/20 16:23
S29	2	(US-20040024879-\$ or US-20020037723-\$).did.	US-PGPUB	OR	ON	2007/02/20 16:58
S30	2497	(regist\$4 near\$3 message) same receiv\$3	US-PGPUB	OR	ON	2007/02/20 17:03
S31	1	S29 and S30	US-PGPUB	OR	ON	2007/02/20 16:59

S32	2	"6970445".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:43
S33	0	S32 and (receiv\$3 near3 regist\$5 near3 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:14
S34	1	S32 and (receiv\$3 same regist\$5 same message same (access near3 node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:18
S35	1	S32 and (regist\$5 same (access near3 node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:18
S36	2	"6985479".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:56
S37	0	S36 and (receiv\$3 near3 regist\$5 near3 request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 17:57
S38	1	S36 and (receiv\$3 same regist\$6 same request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 18:02
S39	4407	370/352.ccls. and (@rlad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:37
S40	235	S39 and (receiv\$3 with regist \$6 with request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 18:03
S41	10	S39 and ((receiv\$3 near3 connection near3 request\$3) same (sip or "session initiation protocol"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 18:14

S42	239	node and proxy and (sip or "session initiation protocol") and (trigger\$3 same response)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 18:13
S43	1	S42 and ((receiv\$3 near3 connection near3 request\$3) same (sip or "session initiation protocol"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 18:13
S44	2	S42 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 18:15
S45	896	network same independent same trigger\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:11
S46	1042	455/435.1.cds. and (@rlad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:12
S47	3097	(sip or "session initiation protocol") and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:03
S48	38	S46 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:03
S49	0	S48 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:04
S50	3348	709/227.cds. and (@rlad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:04
S51	4	S50 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:04

S52	116	network with independent with trigger\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:27
S53	5	S47 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:12
S54	0	("2005/0201320").URPN.	USPAT	OR	ON	2007/02/21 08:14
S55	6	network with independent with (trigger\$3 near3 send \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 08:27
S56	1691	455/445.ccls. and (@riad< "20040310" or @ad< "20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:37
S57	15044	sip or "session initiation protocol"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:13
S58	79	S57 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:13
S59	10	S58 and (connection near3 request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:30
S60	2	S58 and ((connection near3 request\$3) same regist\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:36
S61	0	S46 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:29
S62	38	S46 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:35

S63	0	S59 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:30
S64	5	S62 and (connection near3 request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:30
S65	4407	370/352.ccls. and (@rlad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:36
S66	736	S65 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:36
S67	29	S66 and ((connection near3 request\$3) same regist\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 09:36
S68	4	("2003/0156578").URPN.	USPAT	OR	ON	2007/02/21 10:23
S69	2	"5724515".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 11:28
S70	9820	(location near3 independent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:32
S71	25	S56 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:30
S72	0	S71 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:29
S73	79	S56 and (sip or "session initiation protocol")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:30

S74	122	S70 and (sip or "session initiation protocol")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:45
S75	1	S67 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:36
S76	21	(location near3 independent) same ((originating or originator or caller or calling) near3 (terminal or user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:39
S77	0	S56 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:34
S78	64	S56 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:34
S79	7	S78 and (sip or "session initiation protocol")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:37
S80	0	S76 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:36
S81	0	S76 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:37
S82	84131	"455"/\$.cds. and (@rlad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:37
S83	3	S76 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:37

S84	1	S83 and (sip or "session initiation protocol")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:38
S85	10	S76 and (sip or "session initiation protocol")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/21 14:46
S86	14	(US-20040024879-\$ or US-20040219905-\$ or US-20040121765-\$ or US-20030134638-\$ or US-20020037723-\$ or US-20040156346-\$ or US-20020131395-\$ or US-20060025141-\$ or US-20020187777-\$ or US-20030156578-\$ or US-20030154293-\$).did. or (US-7177642-\$ or US-7110763-\$ or US-6424829-\$).did.	US-PGPUB; USPAT	OR	ON	2007/02/21 17:17
S87	51289	NAT or "network address translator"	US-PGPUB; USPAT	OR	ON	2007/02/21 17:17
S88	1	S86 and S87	US-PGPUB; USPAT	OR	ON	2007/02/21 17:18
S89	4	("6654606" "6751204").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 08:03
S90	3	(US-20030154293-\$ or US-20040024879-\$ or US-20060025141-\$).did.	US-PGPUB	OR	ON	2007/08/20 10:28
S91	1	S90 and (base adj station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:33
S92	0	S90 and ((base adj station) same regist\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:34
S93	11685	((base adj station) same regist\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:34

S94	7216	((base adj station) with regist \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:34
S95	2715	((base adj station) with regist \$4) with (user or subscriber or terminal or ue or "user equipment")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:36
S96	3779	(sip or "session initiation protocol") and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:36
S97	22	S95 and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:37
S98	13	S97 and (@riad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/20 10:37
S99	8	("20020147008" "20030134650" "20040072593" "6067529" "6487602" "6587688" "6826167" "6931249").PN. OR ("7177636").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/20 10:58
S100	1	10/123,621	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 15:07
S102	5845	((455/517) or (455/450) or (455/509)).CQLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 15:17
S103	102	S102 and (sip or (session initiation protocol))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 15:18
S104	56	S103 and (@riad<"20040310" or @ad<"20040310")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 15:19

S105	1	mobile\$to\$mobile and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 15:20
S106	0	S103 and (((mobile or ((user or subscriber) near3 terminal)) near3 assist\$3) with regist\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 15:23
S107	2891	(((mobile or ((user or subscriber) near3 terminal)) near3 assist\$3) same (regist \$6 or connect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 15:24
S108	128	S107 and (sip or (session initiation protocol))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 15:25
S109	5	S108 and (((mobile or ((user or subscriber) near3 terminal)) near3 assist\$3) with regist\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 15:26
S110	118	(((mobile or portable or cell or cellular or user or subscriber) adj (terminal or node or phone or telephone or station or apparatus)) near3 (assisted or assisting)) with (regist\$6 or connect\$3 or access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 15:40
S111	3	S110 and (sip or (session initiation protocol))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/03 15:42

7/ 3/ 2008 7:21:07 PM

C:\Documents and Settings\agonzalez\My Documents\EAST\Workspaces\10797765.wsp